

सरकारी गजट, उत्तराखण्ड

उत्तराखण्ड सरकार द्वारा प्रकाशित

रुड़की

खण्ड-8) रुडकी, शनिवार, दिनांक 17 फरवरी, 2007 ई0 (माघ 28, 1928 शक सम्वत)

सिख्या-07

विषय-सूची

पत्येक भाग के पृष्ठ अलग-अलग दिये गए हैं, जिससे उनके अलग-अलग खण्ड इन सकें

विषय	वृष्ठ संख्या	वार्षिक चन्दा
		₩0
सम्पूर्ण गजट का मूल्य	_	3075
भाग 1—विडाप्ति—अवकाश, नियुक्ति, स्थान-नियुक्ति, स्थानान्तरण, अधिकार और दूसरे वैयक्तिक नोटिस भाग 1—क—नियम, कार्य-विधिया, आझाएं, विद्यप्तियां इत्यादि जिनको सत्तराखण्ड के राज्यपाल महोदय, विभन्न विभागों के	45~47	1500
अध्यक्ष तथा राजस्व परिषद् ने जारी किया भाग 2-आझाएं, विज्ञप्तियां, नियम और नियम विधान, जिनको केन्द्रीय	33-44	1500
सरकार और अन्य राज्यों की सरकारों ने जारी किया, हाई कोर्ट की विद्वप्तियां, भारत सरकार के गजट और दूसरे राज्यों के गजटों के उद्धरण		
भाग 3—स्वायत शासन विभाग का क्रोड-पत्र, नगर प्रशासन, नोटीफाइड एरिया, टाउन एरिया एवं निर्वाचन (स्थानीय निकाय) तथा पंचायतीराज अगदि के निदेश जिन्हें विभन्न आयुक्तों		975
अथवर जिलाधिकारियों ने जारी किया	-	975
भाग 4—निदेशक, शिक्षा विभाग, उत्तराखण्ड	-	975
भाग 5—एकाचन्टेन्ट जनरत, उत्तराखण्ड भाग 8—बिल, जो भारतीय संसद में प्रस्तुत किए गए वा प्रस्तुत किए जाने से पहले प्रकाशित किए गए तथा सिलेक्ट कमेटियों	9	975
की रिपोर्ट भाग 7—इलेक्शन कंगीरान ऑफ इण्डिया की अनुविहित तथा अन्य	-	975
निर्वाचन सम्बन्धी विज्ञप्तिया		975
भाग छ सूचना एवं अन्य वैवक्तिक विद्धापन बादि	_	975
स्टोर्स पर्वेज-स्टोर्स एवंज विमाग का क्रोड-पत्र आदि	-	1425

4.5

भाग ।

विद्वप्ति-अवकाशः नियुक्ति, स्थान-नियुक्ति, स्थानान्तरण, अधिकार और दूसरे वैयक्तिक नोटिस

सिंचाई विभाग

विद्यप्ति / पदोन्नति

०५ फरवरी, २००७ ईं०

संख्या 393/II-2007-01(430)/03-सिंवाई विमाग, उत्तराखण्ड के निम्नलिखित अधिशासी अभियन्ताओं (सिविल) को कार्यभार ग्रहण करने की तिथि से अधीक्षण अभियन्ता (सिविल), वेतनमान रुठ 12000-375-16500 के पर पर परा-नत करने की श्री राज्यपाल महोदय सहयं स्वीकृति प्रदाग करते हैं:-

1, जी चमेश कुमार

(उत्तराखण्ड पर्यटन विकास परिषद् के अधीन प्रतिनियुक्ति पर)

2. श्री दुर्गा प्रसाद जुगरान

श्री उमेश कुमार के प्रतिनियुक्ति से लौटने पर रिक्त पद उपलब्ध न होने की दशा में कनिष्ठतम अधीक्षण अभियन्ता को प्रत्यावर्तित किया जायंगा। पदोन्नत अधिकारियों द्वारा योगदान उनके वर्तमान तैनाती स्थल पर ही किया जायेगा तथा पदस्थापना के सम्बन्ध में आदेश अलग से निर्मत किये जायेंगे।

आजा से.

इन्दु कुमार पाण्डे, अपर मुख्य सथिव।

चिकित्सा अनुभाग−2

अधिसूचना

29 जनवरी, 2007 ई0

संख्या 61/XXVIII-2-2007-299/02 TC-जन्म और मृत्यु पंजीकरण अधिनियम, 1969 (केन्द्रीय अधिनियम 18, 1969) की धारा 30 में प्रदत्त शक्ति का प्रयोग करते हुए राज्य सरकार केन्द्रीय सरकार के अनुमोदन से अधिनियम की धारा 30 की उपधारा (1) व (2) (क) के अधीन उत्तरांचल जन्म मृत्यु पंजीकरण नियमावली, 2003 के उपनियम 5(1) में अंगीकृत पंजीकरण प्रपन्नों में विशिष्टतः और पूर्वगामी उपबन्ध की व्यापकता पर प्रतिकृत प्रभाव उत्तले बिना निम्नालिखित नये स्तम्म सम्मिलित करती है :-

- 1. जन्म सूचना प्रपत्र संख्या 1 में जन्म के समय माता/पिता का पता।
- 2. मृत्यु सूधना प्रपत्र संख्या 2 में (१) मृतक के पिता/पति का नाम
 - (2) मुत्तक की माता का नाम
 - (3) मृतक का मृत्यु के समय पता

आज्ञा से,

एस० राजू सचिव, चिकित्सा, स्वास्थ्य एवं प०क०।

सामान्य प्रशासन विमाग

विञ्चप्ति / संशोधन

07 फरवरी, 2007 ई0

संख्या 96/XXXI(13)/G/2007—सन् 2007 ई0 (शक् सम्वत् 1928—29) के वर्ष में समस्त उत्तराखण्ड प्रदेश में सार्वजनिक अवकाश घोषित किये जाने विषय विञ्चप्ति संख्या 1127/XXXI(I)/2004—40(1)/2005. दिनांक 21 नवम्बर, 2006 में सार्वजनिक अवकाशों के अन्तर्गत घोषित अवकाश से सम्बन्धित अनुसूची में उल्लिखित वाणिज्यिक वैकों की वार्षिक लेखाबन्दी/अर्द्ववार्षिक लेखाबन्दी को निम्नवत पदा जाय :—

वाणिज्यिक बैंकों की वार्षिक लेखाबन्दी 02 अप्रैल, 2007 12 चैत्र 1929 सोमवार वाणिज्यिक बैंकों की अर्द्धवार्षिक लेखाबन्दी 29 सितम्बर, 2007 07 आहिवन, 1929 शनिवार

उपरा विवरित इस सीमा तक संशोधित समझी जाय, अन्य शर्ते यथावत रहेंगी।

एस0 राजू, सचिव।



सरकारी गजंट, उत्तराखण्ड

उत्तराखण्ड सरकार द्वारा प्रकाशित

रुड़की, शनिवार, दिनांक 17 फरवरी, 2007 ई0 (माघ 28, 1928 शक सम्वत्)

माग 1-क

नियम, कार्य-विधिया, आझाए, विश्वपित्रया इत्यादि जिनको उत्तराखण्ड के राज्यपाल महोदय, विभिन्न विभागों के बध्यक्ष तथा राजस्व परिषद् ने जारी किया

उत्तरांचल उच्च न्यायालय, नैनीताल

विज्ञप्ति

05 फरवरी, 2007 ई0

संख्या 07/XIV/41/प्रशा0 अनु0-अ-श्री रवीन्द्र मैठाणी, अपर निबन्धक, उत्तराचल उच्च न्यायालय, नैनीताल को दिनाक 15-01-2007 से 31-01-2007 तक 17 दिन का अर्जित अवकाश स्वीकृत किया गया।

> न्यायालय की आझा से, वीठ केंठ माहेश्वरी, महा निबन्धक।

HIGH COURT OF UTTARANCHAL AT NAINITAL

CHARGE CERTIFICATE

(Taking over Charge)

February 01, 2007

No. 290/XIV/41/Admin. A—CERTIFIED that the Office of Additional Registrar, High Court of Uttaranchal, Nainital, was transferred on return from earned leave w.e.f. 15/01/2007 to 31/01/2007 as herein denoted in the forenoon of 01/02/2007.

Megible

RAVINDRA MAITHANI

Relieving Officer

Relieved Officer

Countersigned lilegible Registrar General, High Court of Uttaranchal, Nainital,

CHARGE CERTIFICATE (Handing over Charge)

February 01, 2007

No. 291/XIV/41/Admin. A—Certified that the Office of Additional Registrar, High Court of Uttaranchal, Nainital, was transferred on proceeding on earned leave w.e.f. 15/01/2007 to 31/01/2007 as herein denoted in the forenoon of 15/01/2007.

Relieved Officer

Ellegibic
RAVINDRA MAITHANI

Countersigned
Illegible
Registrar General,
High Court of Uttaranchal, Nainital

कार्यालय, सम्मागीय परिवहन अधिकारी, देहरादून संभाग, देहरादून

कार्या लगादेश

25 जनवरी, 2007 ई0

पत्रांक 5588/प्रशासन/लाइसेंस निलम्बन/07-श्री नन्द कुमार पाल पुत्र श्री जसवन्त सिंह. निवासी जॉलीग्रान्ट, देहरादून द्वारा दिनांक 14-11-2006 को वाहन संख्या यू०ए०-07के-3213 विक्रम में क्षमता से अधिक रावारियों ले जाने, वालक कहा में 03 सवारियों बैठाने तथा तंजयित एवं खतरनांक तरींके से वाहन संचालित किये जाने के कारण यात्रीकर अधिकारी, मुख्यालय द्वारा वाहन का वालान किया गया है। वालक द्वारा ओवरलोंड वाहन का असुरक्षित एवं खतरनांक तंजमित से संवालित किये जाने के कारण यात्रीकर अधिकारी, मुख्यालय द्वारा चालक के लाईसेंस संख्या 8437/डी/2003, जो कि इस कार्यालय द्वारा मोटर साईकिल एवं हल्का व्यावसायिक वाहन हेतु जारी किया गया है, के विरुद्ध की गयी कार्यवाही की संस्तुति के आधार पर लाइसेंसिंग अधिकारी के रूप में, मैं, ए० केंठ सिंह, सहायक संमागीय परिवहन अधिकारी (प्रशासन), देहरादून मोटर वाहन अधिनियम की घारा 19 के अन्तर्गत प्रदार प्रधिकारों का प्रयोग करते हुए उक्त लाईसेंस को दिनांक 25-01-07 से दिनांक 24-02-07 (एक माह) तक की अविध के लिए निलम्बत करता हैं।

ए० के० सिंह

सहायक संमागीय परिवहन अधिकारी (प्रशासन), देहरादून।

कार्यालय, निदेशक, उत्तराखण्ड प्रशासन अकादमी, नैनीताल

विज्ञप्ति

05 फरवरी, 2007 ई0

पत्रांक 106 चार-91 (2005)-4-उत्तराखण्ड प्रशासन अकादमी नैनीताल द्वारा राज्य के आनकारी निरीक्षकों हेतु दिगांक 4-12-2006 से दिनांक 5-12-2006 की अवधि में विमागीय परीक्षा का आयोजन किया गया।

दिमागीय परीक्षा, 2006 में सम्मिलित निम्नलिखित सम्यर्थियों को उनके नाम के सम्मुख उल्लिखित विषयों में इस विज्ञप्ति के द्वारा उत्तीर्ण घोषित किया जाता है :-

अनुक्रमांक	अधिकारी का नाम		उतीर्ण	किये गये प्र	रन-पत्र	2
exi01	श्री देवेश त्रिपाठी	_		-	EX-4	EX-5
exi02	श्री हरीस चन्द्र कुमार	_	EX-2	EX-3	EX-4	EX-5
exi03	श्री प्रमा शंकर मिश्रा			_	EX-4	_
exi04	श्री आलोक कुमार साह	-	-		EX-4	_
exi05	नी संजय कुमार	_	_	_		_
exi06	औ राजीव सिंह बौहान	-	_	EX-3	EX-4	_
exi07	श्री अशोक कुमार	_	_	_	EX-4	_
exi08	श्री प्रशांत कुमार	_		_	EX-4	_
exi09	श्री तपन कुमार	-	_	EX-3	EX-4	_
exit0	कुनारी रेखा जुयात	_	-	-	EX-4	-
exill	कुमारी नीलम कुमारी	EX-1	-	EX-3	EX-4	EX-5
exi12	श्री ओमकार	_	-	_	EX-4	_
ext13	भी देवेन्द्र गिरी गोस्वामी	_	_	_	_	EX-5
ext14	मी सजेन्द्र तात राज	_	_		-	EX-5
exil6	बी ननोज कुनार उपाध्याय	_	_	EX-3	EX-4	-
exit7	सीमती वीपाली साह	-	_	_	EX-4	_
ext8	भी नायु राम जोशी	_	-	-	-	46
ext19	श्री संदीप सैनी	_	-	_	EX-4	EX-5
ex120	न्नी विवेक सौनकिया	_	_	_	_	_
exi21	नी सूरज	_	-	_	EX-4	-
exti22	नी सुनीत सर्म	_	EX-2	_	EX-4	_
exi23	कुमारी मीनाती टम्टा	_	_	-	-	-
exi24	श्री दुर्गेश्वर कुनार त्रिपाठी	_	_	-	EX-4	_
exi2S	श्री पवन कुमार सिंह	_	_	_	EX-4	_

विषय संकेत CODE :-

EX-1 Excise Act & Rules,

EX-2 M&TP Rules & Spirituous Preparations Control Act & Manual,

EX-3 Molasses Act and Rules & Poison Act and Rules, Motor Spirit, D Oil, Alcohol Taxation Act,

EX-4 NDPS Act & Rules,

EX-5 Cr.P.C., Indian Evidence Act.

OFFICE OF THE DIRECTOR GENERAL, MEDICAL HEALTH & FAMILY WELFARE (C.M.S.D. SECTION) UTTARANCHAL, DEHRADUN

NOTIFICATION No. 1-Hospital Furniture 2005

December 08, 2005

RATE CONTRACT OF HOSPITAL FURNITURE

No. 15P/Hospital Furniture/27030—In exercise of the power delegated in G.O. No. 1246/Chi-3-2002-122/2002, Dated 6-1-2003 the Quantity Contract/Rate Contract of Hospital Furniture mentioned in Annexure 'B' is made with the firms mentioned in.

Annexure 'A' for supply in the State Government in Medical & Health Services Department for the period until the supply is satisfactory completed in accordance with the aforesaid (Only for SC and one year from the date of notification for the Rate Contract until extended by a special order, on the following terms & conditions:—

- The firms shall make supplies in manufacturers original packing as indicated in column 5 for name of made unless otherwise stated. The supplying firms will be required to clearly mention on the lable the name of the manufacturer.
- 2. The firms will have to give a written warranty to the effect that supplies confirm to the approved standard specification for the equipment as given in approved schedules and the goods/ Equip. Hosp. Furniture are new up used of the most recent or current models as per specifications, having no defect arising from design materials or workmanship or from any fact of omission of the supplier.
- 3. Indenting Officers are requested to make the 90% payment within 30 days after receipt of goods verifying the condition of equipment unless they have valid reasons for withholding the same, in which case the circumstances under which the payment is withhold should be communicated to the Director General of Medical Health & F.W. Uttaranchal Dehradun.
- Indenting Officers may place order direct on the firms and copy to the manufacturing firms along with a copy thereof to this office.
- 5. Deductions from the bills, if any, should be made only after getting an explanation from the supplying firms about shortage or brokage within a month of receipt of goods from the supplying firms, obtained. In no case goods should be accepted without verification where there any doubt has arisen or the packing is broken in case the consignment is insured authorities would be intimated immediately preferably through telegram following by regular letter.
- The Indenting Officers are advised to return the duty free excise passes to the supplying lirms duly received and signed at the earliest after receipt of goods.
- 7. Where exciss duty has been mentioned inclusively the firm will certify that excise duty claimed by them has actually been paid by them to Govt. Supplying firms will have to furnish a certificate alongwith the bill to the effect that excise duty claimed in the actual amount assessed by the Govt. of India and is levyable during the period it has been claimed, the supplier will also have to certify that the items on which the excise duty is being claimed by them are actually covered by the excise duty assessment.
- 8. Every care has been taken to see that rates quoted and approved have been correctly notified in the Notification but in case of any discrepancy either in rates or in specification or any nature in other details, it will be the duty of the firm that they should intimate to the C.M.S.D. under registered cover latest within a month so that necessary action may be taken.
- The firms while sending the bills will certify that the rates charged are applicable and have also been approved by the C.M.S.D. and in case of any default they are prepared to make adjustments.
- 10. The firms should also certify on the bills that the supplies are according to specifications and the makes approved by the Director General, Medical Health & F.W., Uttaranchal and are in accordance with the latest Rules & Regulations pertaining to that equipment to be used in the country.
- 11. The attention of the Indenting Officers is drawn to the various lists of items published by the firms. It has been found that in some cases the firms include unapproved items in their lists of approved items. It is responsibility of the Indenting Officers to consult the Gazette Notification before placing the actual order and see that the order for only approved items are placed. Such cases of misrepresentation should immediately be brought

to the notice of Director General of Medical Health & F.W., Uttaranchal (CMSD), Dehradun sending copy of the list printed, by the particular firms. In case any firm is found of doing so, strict action will be taken against them and their names will be deleted from Rate Contract without any notice to them and in addition they may be debarred.

- 12. No Assistance will be provided for release of the raw material or procurement of import licence.
- 13. The Director General, Medical Health & F.W., Uttaranchal (CMSD), Dehradun reserves the right to call Tender for Quantity Contract or paralled Rate Contract and also to finalise them at any time during the period of the rate contract.
- 14. It will be condition of the contract that although during the currency of the contract the price approved in this rate contract arrangement will remain firm/but however in the event of prices going down the contractor shall promptly furnish such information to enable this office to amend the contracted rates for supplies at Rate Lower than the Rate Contract, the attention of the firm is drawn to it.
- 15. Any sum of money payable to the contractor including the security deposits returnable to them under this contract may be forfieled by the Director General, Medical Health & F.W., Uttaranchal, Dehradun and set of against any claim of the Governor and payment of a sum of money arising out of or under any other contract made by contractor with the Governor.
- 16. Director General, Medical Health & F.W., Uttaranchal, Dehradun or his authorised representative may inspect the premises of the manufacturing units to assess and verify that the item quoted as own made are actually manufactured by them.
- 17. All supplies shall have to be made strictly confirming to approved specification in accordance with the latest approval.
- 18. If at any time during the said period of contract, contractor reduces sale price of such stores or sells such stores to any other person at price lower than the price chargeable under the contract he shall forthwith notify such reduction of sale to the Director General, Medical Health & F.W., Uttaranchal, Dehradun and the price payable under contract for the stores supplied at the date of coming into force of such reduction of sale shall stand correspondingly reduced. The above stipulation will not however apply to--
 - (A) exports by the Contractor;
 - (B) sale of goods as original goods at a price lower than the price charged for normal replacement.
- 19. The contractor shall furnish to the Director General, Medical Health & F.W., Uttaranchal, Dehradun at Intervals mentioned below:--
 - (A) Within a month of commencement of the contract a certificate as to the rates prevailing of the commencement of the rate contract.
 - (B) Within a month of expiry of every six month a certificate as to the rates prevailing during preceding six months.
 - (C) And at the end of the rate contract within a month of expiry of the contract a certificate on the following form:—

- 20. Supplies must be completed within time limit as stated in order/issue of the order (which ever is earlier) from the Indenting Officers. Under unavoidable circumstances in continuation of supply order, a further period of one month can be granted for execution of supply order. On sole descretion of indenting officer failing which full information should be sent to this Directorate (CMSD) Section to take necessary action against the firm.
- 21. The Indenting Officers should give the supply order to the firm whose rates are lowest as mentioned in the enclosed Annexure 'A'. If lowest quoting firm does not supply within state time from the date of issue of the order from indenting Officers a further period can be extended up to four weeks if the firm apply for such extension before the expiry of stated time giving valid satisfactory reasons. In case of non-supply the names of such defaulting firms should be intimated to Government (CMSD) Section of the Directorate by registered post so that the necessary action against the firm will be taken.

- 22. Full payment shall be made on complete installation checking & on satisfactory performance reveiot of goods its checking etc. After 90 days from the date of installation & checking performance of goods by the indenting officers.
- 23. In the event of the prices being gone down the contracting firm may please intimate the same to the Director General of Medical Health & Family Welfare, Uttaranchal, Dehradun immediately for issuing necessary corrigendum in this ragard and they will also charge the reduced rates from the Indenting Officers of the State. In case such information is received from the contracting firm that they are selling items approved in their favour at the reduced rates either in open market or any where also. The Director General, Medical Health & F.W., Uttaranchal, Dehradun reserves the right to cancel the items of entire contract finalised with them and to debar the firm from further tendering.
- 24. In case supplies are found substandard for which part payment/full payment has been made, the firm may be asked to replace them within the specified period this however shall not debar. Indenting Officer or Director General, Medical Health and F.W., Uttaranchal, for action against the firm.

In case firm to fails replace the drugs within the period specified by the Indenting Officer, the firm shall refund the full payment received by them forth with irrespective of the fact that the supplied item may have been used for some time. They may in addition be liable for action as per clause of the agreement.

- 25 This contract shall exclusively be governed by the terms and conditions mentioned in this notification the relevent conditions mentioned in the tender notice CMSD tender form and relevent conditions mentioned in the agreement form (sent to the firm alongwith with acceptance letter separately) and agreements agreed by the firm.
- 26 The Indenting Officers are advised to report the damages/defects noticed in supplies to suppliers for notification report replacement, as the case may be, within sixty days of the receipt installation/parformance on the material failing which it will be their own responsibility.
- 27 In case of any complaint against the supplier for delay in supplies or defective supplies etc. The Indenting Officers are advised to report the matter to the Director General, Medical Health & F.W., Uttaranchal, Dehradun (CMSD) Section promity for necessary action by registered post.
- 28. Supplies will have to be made F.O.R. destination by road or Railway station in Uttaranchal by Goods train as shown in Annexure. A' for order of Rs. 1000/- and above.
- 29. The Indenting Officers are requested to send the copy of the supply order to Sales Tax and Income Tax Authorities to enable them to keep watch on the payment of taxes.
- 30. A separate agreement regarding warranty/post warranty/CMC/AMC service will have to be signed by the supplier.
 - 31. In case of any legal dispute the area of jurisdiction will be Uttaranchal only.

NOTIFICATION NO.1 HOSPITAL FURNITURE YEAR, 2005 ANNEXURE 'A'

Enclesure notification No. 15P/Hosp Furn/R C /5/2005/27030, Dt. 8-12-2005

Subject -Rate Contract Arrangement of Hospital Furniture for the penor from Dated 6-12-2005 to Dated 30-11-2006

SI No.	Name of the Firm	Telephone/ Fax No.	For Destination
1.	M/S. Samiksha Industries E-11 Nehru Colony, Dehradun (Uttaranchal)	0135-2668018 Fax-0135-2668018 Mob. 9412052982, 9412438395	FOR Destination
2	M/S. Balaji Enterprises Bimal Niketan, Narayanpuri, Saharanpur-247001	0132-661095, 660861 Fax-0132-660861, 724000	FOR Destination
3.	M/S, A.M. Technologies 206 Industrial Area Phase-II Panchkula Haryana.	0172-2595334, 660861 Fax-2591992	FOR Destination

ANNEXURE 'B' NOTIFICATION NO. HOSPITAL FURNITURE-1

List of Hospital Furniture Approved in Rate Contract For the period from 5-12-2005 to 30-11-2006 Encloser of Notification No. 15 P Hosp. Furn / R.C./5/2005/27030, Dated 8-12-2005

S S	Rem No.	Name of Equipment with Specification	Name of the Firms	Маке	Rate	CST/ SST	60	Rate inclusive of all Taxes & Duties CMSD Rate	III FOR Rate
-	23	33	*	ıo	92	7	6	0	10
2	1 A-4	OFFICE TABLE WITH DRAWERS (BIG)	M/s. Samiksha	Samosha	Hs. 2990/-	Rs, 119.60/-	١.	Œ	As. 3109.60/-
		30"Height Metal Office table (steel) with 3 drawers on left side and one cupboard on right side 16mm thick both side prefaminated top with PVC lapping of 48" L x 28" W size on 1.6 mm tubal frame with 18 GMS Duty pretreated Expoxy Powder coated and over baked.		SPERSON					
2	1 A-1	OFFICE TABLE SMALL	-00	-00-	Rs. 930/-	As. 37.20/-		CC .	Rs. 967.20/-
		30" Height Metal Office Table (Steel) without drawers prelaminated on both aide 18mm thick with PVC lepping of 24"x36" size on 1.6 mm tubal frame with duly pretrested, Expoxy Powder coated and even baked.							
rs'	1 (B)-J)	CUSHIONED SEAT WITH BACK		A.M	Rs. 700/-	Rs. 28/-		Rs. 728/-	Rs. 750/-
		Over all size 880mm heightx535mm widthx460mm deep distance of seat foam from the floor 455mm. All the frames to be made out of ERW square pipe of 25 x 25 x 1, 25mm. The seat size 460 x 460mm D. The seat frame size 50mm x25mm shell be of good quafity (Country wood) 6mm ply will be provided in the bottom over which 75mm rubber foam covered with leather foam in brown colour. The back rest size	Technologies Haryana	Technology					

460mm width x 350mm height. The back & frame 50mm x 25mm shall be of Country wood 6mm biy w. Il be provided in the hottom of back cover which 50mm rubber foam covered by Reather foam seat Square pipe 25mm x 1.25mm support shall be provided below the seat from one side to other side pipe in front and back. The seat and back and back shall be liked with round head see now Below the seat and back side. The arm shall be of good qualty wood size 400mm x 50mm width x 19mm rubber form covered by leather loan the back rest and back legs each shall be nave as inclination of approx x 200g as per drawing RubbertPliasile shoes and caps show de provided at the bottom and top of the frame	es.	*	ιĠ	9	r	100	m	10
which 50mm rubber foam covered by leather foam support shall be provided below the seal from one side to other side pipe in front and back. The seal and back. The seal and back shall be liked with round head see now Below the seat and back side. The arm shall be of good quality wood size 400mm x 50mm width x 18mm rubber form covered by leather foam. The back restand back legs each sinal be have as inclination of approx x 200g as per drawing. Rubber/Plastic shoes and caps show do provided at the bottom and top of the frame.	460mm width x 350mm height. The back & frame 50mm x 25mm shall be of Country wood 6mm piy will be provided in the hottom of back cover							
and back shall be lixed with round head see now Below the seat and back side. The arm shall be of good quality wood size 400mm x 50mm width x 19mm rubber form covered by leather foam. The back restand back legs each shall be nave as inclination of approx x 200g as per drawing Rubber/Piasho shoes and caps show do bottom and top of the frame.	which 50mm rubber loam covered by leather foam seat Square pipe 25mm x 1.25mm support shall be provided below the seat from one side to other ends one for the foot and hosts. The seat							
shall be of good quality hood size 400mm x 50mm width x 19mm rubber form covered by leather foam. The back rest and back legs each shall be have as inclination of approx x 200g as per drawing. Rubber/Plasho shoes and caps sholl die provided at the bottom and top of the frame	and back shall be liked with round head see now Below the seat and back side. The arm							
per drawing Rubber/Plashe shoes and caps show dispervised at the bottom and top of the frame	shall be of good quality wood size accuming 50mm width x 18mm rubber form covered by leather loam. The back rest and back legs each shall be been an analysis of powers 1900s as							
	per drawing Rubber/Piasic shoes and caps show dibe provided at the bottom and top of the frame							

Saugs Du

Dehradun

78" x 36 x 19", 4 adjustable shelves forming 3 Compartments Pretreated prime qualify CRCA steel conforming to 1-513 Gr D. quality 18 SWG polyestar powder coated of 50 microns or more dry I m thickness and even baked at a uniform The footrest should be made up of Anti-Rust Steel (Type to be coated) and property fixed to or body and shalves 18 SWG for doors opoxy tempera ure of 180 to 200 degrees centigrade the bottom of the Almurah

steel Components would have multiband construction to be done to ensure rigid by and strongth 3 way bolting device which inter locks body both at the tap and the bottom with the help of a tongue in groove mechanism pus a 8 ever unpickable lock to be made of chrome plated non ferrous metal alloy. Colour of Alm rah should be Grey

standard 4033 or equivalent. standard in respect of materials, Welding Process, test & performance conforming to BiS The above should confirm to applicable IS

FOOT STEPS (STEPS STAND)

6(C)

scratching. white good linish. Resistant to chipping & coated with epoxy powder oven baked to provide should be throughly & fully prefreated chemically aluminum head flats legs litted with rubber feet Epoxy Powder coated (except alluminium) white (L) 300 mm (W) MS tubular frame fitted with Height 230/450 mm step size approx 510 mm

O

7(0)

950mm W x 600-625mm H.

Overall Cimension 2150-2200mm L x 800-

M/s. Samikesha

Samikesha

Rs.5225/-

Rs. 209/

Rs. 5434/-

Rs. 5434/-

Industries Dehradun

Dehradun

FULL FOWLER BED

30mm × 16 SWG.

rectangular tube of minimum size 60mm x 910mm W approximately should be made from (2) The bed frame measuring 2070mm L x

Saharanpu Enterprises M/s. Balaji

Saharanpur

Balaji

Rs. 22/

Rs. 572/

should be adjusted by screw mechanism sheet. The backrest section and thigh section separately, the back rest and thigh section should M.S. flats welded with 1.22mm thick CRCA should be to supported on M.S rectangular tube tubes bent from 3 sides. The second section sheet mounted on 25.4 Dia x 1,60mm ERW sheet. The backrest section and leg rest section pressed bent uniformly perferated 18 G CRCA Thigh section should be made from 25mm x 5mm (3) It should house four sections to made from

वसराखान्ड गुजाट, 17 फरवरी, 2007 हैं। (माध 28, 1928 शक सम्बत्त)

10

di

00

p.

10

10

¥

3

N

M.S. flats welded to rectangular ERW size support screw bracket made from 30mm x 5mm 55mm x 25 x 2.00mm provided in the back rest and thigh rest section. The leg rest section should be adjusted on three different inclinations on reichet flat 30mm x 55mm S.S. Band shatting Both head and leg bows should be of the 31.75mm Dla 18 G ERW tubes, it should have of 10mm Dia with 6mm Dia, S.S. shafting handle. one tubular horizontal support of 25mm x 1,2mm ERW tube. Both bows shall be welded with bow brackets on which main frame of the bed shall be bolted Both baws with one horizontal & four vertical tubular supports. The head bow and leg Dows are 1057mm (+/-5mm) & 820mm (+/-5mm) neight respectively.

(4) There should be provision to hold mospulte curtain poles. The bed should be littled with 100mm Dia. Castor wheels two with brake and two without brakes socketted inside ERW vertical tube of head bow and leg bow. The bed should have provision to held urine beg, tour 1.V. rod locations.

(5) SS Telescopic saline rod of minimum 12mm dia. adjustable in provided of bed, tockable with knob should be quoted in optional.

(6) All components (metal) should be throughly & fully pretreated chemically coated with apoxy powder oven baked to provide white good finish. Resistant to chipping & scratching. Rs. 4279,60/- Rs. 4279,60/-

SEMI FOWLER BED

2150-2200mm L x 900 x 950mm W x 600-(1) Overall Dimension 625mm H.

W approximately should be made from rectangular tube of minimum size 60mm x (2) The bed frame measuring 2070mm Lx910mm 30mm × 16 SWG. (3) It should house two sections made from pressed bent uniformly perforated 18G CRCA sheet, the backrest section and leg rest section sheet mounted on 25.4 Dia x 1.80mm ERW lubes bent from 3 sides. The second section should be to supported on M.S. rectangular tube. The backrest section be adjusted by screw mechanism. The back rest should support screw bracket made from 30mm×5mm M S. Itals welded to rectangular ERW size 55mmx25x 2.00mm provided in the back rest. The section should be adjusted on three different inclinations on ratchet flat 30mm x 55mm S.S. Bend shafiling handle. Both head and leg bows should be of the 31.75mm Dia 18G ERW tubes, It 25mm x 1.2mm ERW tube. Both bows shall be welded with bow brackets on which main frame of the bed shall be boiled 8oth bows with one should have one tubular horizontal support of norizontal & four vertical tubular supports. The Shaffing of 10mm Dia with 6 mm. Dia, S.S. head bow and leg bows are 1057mm+1/4mm & 820mm (+/-5mm) height respectively.

4) There should be provision to hold mosquito curtain poles. The bed should be fitted with 100 lube of head bow and leg bow. The bed should have provision to hold urine bag, four I.V. rod locations.

mm Dia. Castor wheels two with brake and two without brakes socketted inside ERW vertical 5) SS Telescopic seline rod of minimum 12mm Dia. adjustable in provided provision of bed ockable with knob should be quoted in optional

Rs.4115/- Rs, 164,60/-Samikesha Industries Dehradun M/s. Samikesha

Dehradun

7(0)

1

							-	-
0		100 2000	75. 3026.4U- HS. 3026.4U-					A
		å	r.					ARY.
gn		26.40	3					R. C. ARYA
"		200	8					II Č
-		E.	ž-					
0								
		ANI.	100					
-		Do 446.401.						
1								
,		De 5040/	O IS					
		å	Ž.					
		ocho.	dries duns adun					
7		Composito	Dehradun					
		5						
		0000	Dehradun					
-		Mir Component	Cer.					
1		1.0	Σ					
-	ughly spoxy finish		Domm) H1- od leg bows beloh ve 18 vd 16**	2015	sheet sides proed y and width o nos	ckets acket The ong 2 white	rwith ically ovide ng & noid	Pault Pault
1	with a		Ommadan adan leg mm h	Adag	HCA sour Reinform wet model	Lebra fe. Br. holds mm 1 o. ol	colou dhem dto pri hippii	ers st
-	uld be pated white ching		981m har/a-1 lar he w and m+/-5 a shou	NI CO	VG C all the side. I 47mn reinto	Smm) firmly hx 19h	white paked baked to coprovise	I COL
	(6) All components (metal) should be throughly & fully pretreated chemically coated with epoxy powder even baked to provide white good finish & resistant to chipping & stratching.	HARD BED (ORDINARY BED)	(1) Adult, steet sheel cot, size (1981mm/- 10mm) H L-L x (914mm/-10mm) Wx(610mm+/- 10mm) H L-L x (32mm) Dia 18 SWG tubular head and leg bows ERW tube. The head bow and leg bows are 1057mm+/-5mm & 820 mm+/-5mm height respectively head and leg bows should have 18 gauge 1" (25mm) Dia ERW cross bar and ½"	(13) Did to goage Envy root vertical supported bars.	(2) Top sheet perforated 18 SWG CRCA sheet double press bent uniformly on all the four sides 2" vertically and 14" further inside. Reinforced with formed channels of size 47mm web and 25mm flang. Top sheet is to be reinforced width wise three angles (3.5cm×3.5mm-14g) two nos	of 10 SWG2" (50mm) Bx4" (102mm) L brackets welded on each bow, one on each side. Bracket supports the besides frame and firmly holds. The bed frame with 8mmx1mm pitchx18mm 1ong 2 nos of bolts on each bracket and 4 no. of white nylon to be provided.	(3) Epoxy Powder coated with white colour with coating throughly & fully prefreated chemically coated with epoxy powder even baked to provide white good finish. Resistant to chipping & scratching. Frame should have provision to hold	unite tag and for mosquire has a provision of telescopic saline rod in all the four comers should have rubber shoe.
0	meta emica to pro	ARY	cot. s Wx(c SWG SWG In he nd leg	AAL	ated furth sis of set is	1) Bxd 1, one ifram 1x1mm 1x1mm	fully wider Residual	in all 1
	ents (ed character)	HDIN	sheel Omm) a 18 be. Th be. Th hmr sad au	969	performent und %" hanne hanne op shiles (3	of 10 SWG2" (50mm welded on each bow supports the basidas bed frame with 8mm nos of bolts on each nylon to be provided.	der ci hly & my po nish. me sl	90
	alreat ven b	0) 03	steet m/-1 m/-1 W tot w tot mm+ ely he ely he	of or	ses best partition of the ses of	G2" (n each the be the be with lits on	/ Pow thepx of fi	telescopic saline r have rubber shoe
	All coy	3D BE	914rr 914rr (32rm 1057 pectiv	5	lop si ble pr ble pr entice form im fla	Swelled or bords framing of borns of bo	ting the government of the gov	scopic a rubb
1	(6) 8 fu Pow 8 re	HA	Lx Lx bow Brown Br	bars	doughouse 2% villy with wisk	well sup bed nos	coa coa white	tele
N								
-		C	x6					

पीवएसवपूर (आरवईंव) 07 हिन्सी गजट/60-मांग १-क-2007 (कम्प्यूटर/सीअयो)। मुद्रक एवम् प्रकाथाक-उप निदेशक, राजकीय मुद्रणालय, उत्तराखण्ड, रुड़की।